

EAST - [10674146.wsp:1]

File View Edit Tools Window Help

Active

- L1: (3124475) PORT PIN
- L2: (89928) 1 NEAR9 POWER
- L3: (1016) RING NEAR9 2
- L4: (14) CARRIER WITH 3
- L5: (8089) SWITCH\$5 NEAR9 2
- L6: (258) DISCONNECT\$3 WITH 5
- L7: (15807) 1 NEAR3 MODE
- L8: (734) 2 NEAR9 7
- L9: (65) SWITCH\$5 NEAR9 8
- L12: (4162) COMMUNICATION NEAR9 2
- L13: (441271) VOLT\$2
- L14: (28) 12 WITH 13
- L15: (2037) 2 WITH 13
- L16: (51) MODE WITH 15
- L17: (12361) POWER WITH 1 WITH INPUT WITH O
- L18: (2189) BETWEEN WITH 17
- L19: (5309) (713/3\$3).CCLS.
- L20: (9666461) 19 "20"
- L21: (9275) (710/3\$3).CCLS.
- L22: (14329) 19 21
- L23: (30) 18 AND 22**

Failed

- ring near9 carrier near3

Saved

- S1: (460) interactive\$3 near9 markup
- S2: (14) buffer\$3 near9 S1
- S3: (1) ("20050278729").PN.
- S4: (1) buffer and S3
- S5: (0) ("9935756").PN.
- S6: (1) ("20020078144").PN.
- S7: (45368) port near9 power
- S8: (22448) mode near9 port
- S9: (881) S7 near9 S8
- S10: (182) switch\$5 with S9
- S11: (0) ring near9 carrier near9 S9
- S12: (699) S9 not S10
- S13: (31321) port near5 power
- S14: (401) ring with S13
- S15: (1409) detect\$4 with S13
- S16: (1165) configur\$5 with S13
- S17: (73) S15 with S16
- S18: (583) S10 S14
- S19: (66) S17 not S18
- S20: (5292) (713/3\$3).CCLS.
- S21: (550) S13 and S20
- S22: (2278) non-power no-power
- S23: (513) mode near9 S12
- S24: (513) port with S23
- S26: (2) port with S25
- S25: (183) mode near9 S22
- S27: (1279) configur\$5 near9 port near9 power
- S28: (0) S22 with S27
- S29: (146) ("5027125") or ("4544924") or ("61157
- S30: (1) ("5664123").PN.
- S31: (1) power and S30
- S32: (97) S29 and power
- S33: (56) S7 and S29

Search List Browse Queue Clear

DBs US-PGPUB: USPAT: USOCR: EPO: JPO: DERWENT: IBM_TDI ☒ Plurals


Default operator: OR ☐ Highlight all hit terms initially

18 AND 22

BRS form IS&R form Image Text HTML

Hits Details HTML

Ready CAP NUM



Drafts

IS&R:
BRS:

Pending

Active

- L1: (45368) port near9 power
- L2: (22448) mode near9 port
- L3: (881) 1 near9 2
- L4: (182) switch\$5 with 3
- L5: (0) ring near9 carrier near9 3
- L6: (699) 3 not 4
- L7: (31321) port near5 power
- L8: (401) ring with 7
- L9: (1409) detect\$4 with 7
- L10: (1165) configur\$5 with 7
- L11: (73) 9 with 10
- L12: (583) 4 8
- L13: (66) 11 not 12
- L14: (5292) (713/3\$3).CCLS.
- L15: (550) 7 and 14
- L16: (2278) non-power no-power
- L17: (513) mode near9 6
- L18: (513) port with 17
- L20: (2) port with 19
- L19: (183) mode near9 16
- L21: (1279) configur\$5 near9 port near9 power
- L22: (0) 16 with 21
- L23: (146) ("5027125") or ("4544924") or ("61157
- L24: (1) ("5664123").PN.
- L25: (1) power and 24
- L26: (97) 23 and power
- L27: (56) 1 and 23

Failed

ring near9 carrier near3

Saved

Favorites

Tagged (17)

UDC

Original

Search

List

Browse

Queue

Clear

DBs

US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDI

☒ Plurals

Default operator:

OR

☐ Highlight all hit terms initially


BRS form IS&R form Image Text HTML

| | U | Document ID | Issue Date | Pages | Title | Current OR | Current XRef | Retrieval Cla | |
|----|-------------------------------------|----------------|------------|-------|-----------------------------------|------------|--------------|---------------|------------|
| 1 | <input checked="" type="checkbox"/> | US 20050278729 | 20051215 | 85 | Presentation of media content | 719/328 | 709/217; | | Lamkin, A |
| 2 | <input checked="" type="checkbox"/> | US 20040230846 | 20041118 | 18 | System and method for the ma | 713/300 | | | Mancey |
| 3 | <input checked="" type="checkbox"/> | US 6697892 B1 | 20040224 | 31 | Port expansion system | 710/72 | 710/314; | | Laity; lan |
| 4 | <input checked="" type="checkbox"/> | US 20030191886 | 20031009 | 17 | Port sampling circuit apparatus i | 711/100 | | | Teshima, |
| 5 | <input checked="" type="checkbox"/> | US 5630170 A | 19970513 | 35 | System and method for determi | 710/12 | 366/129; | | Koizumi; |
| 6 | <input checked="" type="checkbox"/> | US 20050144495 | 20050630 | 21 | Bus power device and power-so | 713/340 | | | Nakajima |
| 7 | <input checked="" type="checkbox"/> | US 6567921 B1 | 20030520 | 7 | Asynchronous low power mode | 713/322 | 713/601 | | Guziak; J |
| 8 | <input checked="" type="checkbox"/> | US 6272644 B1 | 20010807 | 12 | Method for entering powersave | 713/320 | 713/600 | | Urade; M |
| 9 | <input checked="" type="checkbox"/> | US 7043646 B2 | 20060509 | 13 | Electronic device with plural int | 713/300 | 713/330; | | Enami; K |
| 10 | <input checked="" type="checkbox"/> | US 6590597 B1 | 20030708 | 12 | Screen locking feature of a co | 715/866 | 345/211; | | Kim; Jin-H |
| 11 | <input checked="" type="checkbox"/> | US 6229538 B1 | 20010508 | 29 | Port-centric graphic representat | 715/734 | 709/220; | | McIntyre |
| 12 | <input checked="" type="checkbox"/> | US 5924124 A | 19990713 | 7 | Software programmable bus dis | 711/163 | 711/150; | | Roy; Sar |
| 13 | <input checked="" type="checkbox"/> | US 5664123 A | 19970902 | 7 | Digital communication I/O port | 710/62 | 710/38; | | Lee; You |
| 14 | <input checked="" type="checkbox"/> | US 6170062 B1 | 20010102 | 23 | Fault detection on dual supply s | 713/340 | 714/14; | | Henrie; J |
| 15 | <input checked="" type="checkbox"/> | US 5675814 A | 19971007 | 10 | Apparatus and method for man | 713/324 | 710/15; | | Pearce; |
| 16 | <input checked="" type="checkbox"/> | US 6657534 B1 | 20031202 | 7 | Remote power control | 340/3.1 | 713/300; | | Beer; Re |
| 17 | <input checked="" type="checkbox"/> | US 20040148627 | 20040729 | 30 | Data storage medium having in | 725/37 | | | Chung, I |

Hits Details HTML

Ready

NUM



- Drafts
 - IS&R:
 - BRS:
 - IS&R: ("(5027125)" or ("4544924)" or ("6115764)" or ("5342520"
- Pending
- Active
 - L1: (45368) port near9 power
 - L2: (22448) mode near9 port
 - L3: (881) 1 near9 2
 - L4: (182) switch\$5 with 3
 - L5: (0) ring near9 carrier near9 3
 - L6: (699) 3 not 4
 - L7: (31321) port near5 power
 - L8: (401) ring with 7
 - L9: (1409) detect\$4 with 7
 - L10: (1165) configur\$5 with 7
 - L11: (73) 9 with 10
 - L12: (583) 4 8
 - L13: (66) 11 not 12
 - L14: (5292) (713/3\$3).CCLS.
 - L15: (550) 7 and 14
 - L16: (2278) non-power no-power.
 - L17: (513) mode near9 6
 - L18: (513) port with 17
 - L20: (2) port with 19
 - L19: (183) mode near9 16
 - L21: (1279) configur\$5 near9 port near9 power
 - L22: (0) 16 with 21
- Failed
 - ring near9 carrier near3
- Saved
- Favorites
- Tagged (11)
- UDC

Search List Browse Queue Clear

DBs US-PGPUB:USPAT

Default operator: OR

☐ Highlight all hit terms initially

4563738
4584930
4588026
4758843
4766437
4780288
4852798
4962987
4992122
5224213
5270621
5345495
5349679
5372189
5404351
5652870
5655994
5664123
5924124
5977791
6026078
6059566
6059566
6089979
6118783
6122680
6134612
6242946
6287832
6416563
6130842
6385667
5570056

BRS form IS&R form Image Text HTML

| U | Document ID | Issue Date | Pages | Title | Current OR | Current XRef | Retrieval Cla |
|---|-------------|------------|-------|-------|------------|--------------|---------------|
| | | | | | | | |

Hits Details HTML